ELSEVIER Computational Statistics & Data Analysis 21 (1996) 717–718

COMPUTATIONAL STATISTICS & DATA ANALYSIS

Author Index Volume 21 (1996)

(The issue number is given in front of page numbers.)

Ahn, H., Log-normal regression modeling through recursive partitioning (4) 381–398
Aitken, C.G.G., *see* **M.J. Brewer** (3) 343–365
Akman, I. and **J.G.D. Gooijer,** Component extraction analysis of multivariate time series* (5) 487–499
Aldrin, M., Moderate projection pursuit regression for multivariate response data* (5) 501–531
Almøy, T., A simulation study on comparison of prediction methods when only a few components are relevant** (1) 87–107
Andrés, A.M. and **A.S. Mato,** Optimal correction for continuity and conditions for validity in the unconditional chi-squared test* (6) 609–626
Brewer, M.J., C.G.G. Aitken and **M. Talbot,** A comparison of hybrid strategies for Gibbs sampling in mixed graphical models** (3) 343–365
Ciok, A., An estimator of Gini Separation Index which is nearly median unbiased* (5) 533–546
Cox, C., Nonlinear quasi-likelihood models: applications to continuous proportions* (4) 449–461
Dette, H. and **S. Sperlich,** Some applications of Stieltjes transforms in the construction of optimal designs for nonlinear regression models* (3) 273–292
Dielman, T.E. and **E.L. Rose,** A note on hypothesis testing in LAV multiple regression: A small sample comparison** (4) 463–470
Fernańdez-Ponce, J.M., R. Infante-Macías and **J. Muñoz-Pérez,** Characterization of lifetime distribution based on a quantile dispersion measure* (5) 547–561
Gooijer, J.G.D., *see* **I. Akman** (5) 487–499
Gordon, A.D., A survey of constrained classification* (1) 17–29
Hirji, K.F. and **T.D. Johnson,** A comparison of algorithms for exact analysis of unordered $2 \times K$ contingency tables (4) 419–429
Hubert, M., *see* **P.J. Rousseeuw** (1) 67–85
Infante-Macías, R., *see* **J.M. Fernańdez-Ponce** (5) 547–561
Johnson, T.D., *see* **K.F. Hirji** (4) 419–429
Jung, J.S. and **B.J. Yum,** Construction of exact D-optimal designs by tabu search* (2) 181–191
Kachlicka, D. and **S. Mejza,** Repeated row–column designs with split units* (3) 293–305
Kalaba, R. and **L. Tesfatsion,** A multicriteria approach to model specification and estimation* (2) 193–214
Koo, J-.Y., Bivariate B-splines for tensor logspline density estimation* (1) 31–42
Krijnen, W.P., Algorithms for unweighted least-squares factor analysis (2) 133–147

* Appeared in Section II
** Appeared in Section III
All others: Appeared in Section I

0167-9473/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

Lausen, B. and **M. Schumacher,** Evaluating the effect of optimized cutoff values in the assessment of prognostic factors* (3) 307 – 326
Leung, C-.Y., Error rates for classifying observations based on binary and continuous variables with covariates** (6) 627 – 645
Lin-An Chen, Bivariate regression splines (4) 399 – 418
Liu, W., On some single-stage, step-down and step-up procedures for comparing three normal means** (2) 215 – 227
Mato, A.S., *see* **A.M. Andrés** (6) 609 – 626
Mejza, S., *see* **D. Kachlicka** (3) 293 – 305
Monti, A.C., A new preliminary estimator for MA (1) Models (1) 1 – 15
Mugglestone, M.A. and **E. Renshaw,** A practical guide to the spectral analysis of spatial point processes* (1) 43 – 65
Muñoz-Pérez, J., *see* **J.M. Fernańdez-Ponce** (5) 547 – 561
Quintela del Río, A., Comparison of bandwidth selectors in nonparametric regression under dependence** (5) 563 – 580
Renshaw, E., *see* **M.A, Mugglestone** (1) 43 – 65
Rosßner, R., *see* **W. Vach** (6) 683 – 701
Rosßner, R., *see* **M. Schumacher** (6) 661 – 682
Rose, E.L., *see* **T.E. Dielman** (4) 463 – 470
Rosenqvist, A., Asymptotic theory for a two-step pseudo-linear Doppler-bearing tracker** (6) 647 – 660
Rousseeuw, P.J. and **M. Hubert,** Regression-free and robust estimation of scale for bivariate data* (1) 67 – 85
Ruiz-Gazen, A., A very simple robust estimator of a dispersion matrix (2) 149 – 162
Rydén, T., An EM algorithm for estimation in Markov–modulated Poisson processes (4) 431 – 447
Schumacher, M., *see* **W. Vach** (6) 683 – 701
Schumacher, M., *see* **B. Lausen** (3) 307 – 326
Schumacher, M., R. Roßner and **W. Vach,** Neural networks and logistic regression: Part I** (6) 661 – 682
Sperlich, S., *see* **H.Dette** (3) 273 – 292
Steinwolf, A., Approximation and simulation of probability distributions with a variable kurtosis value (2) 163 – 180
Talbot, M., *see* **M.J. Brewer** (3) 343 – 365
Tesfatsion, L., *see* **R. Kalaba** (2) 193 – 214
Vach, W., *see* **M. Schumacher** (6) 661 – 682
Vach, W., R. Roßner and **M. Schumacher,** Neural networks and logistic regression: Part II** (6) 683 – 701
Wijsman, R.A., New algorithms for the function $T(h, a)$ of Owen, with application to bivariate normal and noncentral t-probabilities (3) 261 – 271
Yum, B.J., *see* **J.S. Jung** (2) 181 – 191
Zhang, B., Confidence intervals for a distribution function in the presence of auxiliary information* (3) 327 – 342